

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27605	(online or on\$line or availab\$5) near5 (status)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L2	3081	L1 and (instant adj messaging)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L3	256	L2 and (client same (data adj structure))	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L4	1684	(online or on\$line or availab\$5) near5 (status) and 709/203-207.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L5	673237	(information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L6	27293	(access) near3 (information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L7	1442	(access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L8	82	(access) near3 (information or transaction) near4 (log or data) same (client and server) same (authorized)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L9	167	(access) near3 (information or transaction) near4 (log) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L10	272	(access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L11	25	709/203.ccls. and (access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32

L12	0	715/522.ccls. and (access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L13	0	715/522.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L14	261	(user or client or customer) with (packet) with (profile) with (server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L15	117	(user or client or customer) with (packet) with (profile) with (server) with (network or LAN or WAN)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L16	1	"20020052908"	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L17	13395	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L18	8	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (personal) near3 (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L19	4054	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L20	295	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L21	39	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L22	10	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L23	111	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L24	345	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L25	785	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L26	81	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) with (availab\$5) with status with (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L27	28	709/204,206.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L28	31	709/204,206,207.ccls. and (broker\$3 or establish \$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab \$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L29	114	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L30	114	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L31	471	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L32	50	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4) with (allow \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L33	0	(other) adj (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author \$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L34	6	(other) near4 (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author \$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L35	45	(user) adj (profile or attribute or preference) with (view\$3) with (permission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L36	15	(user) with (authoriz\$5 or grant\$3 or allow) with (participant or member) with (view\$3) near3 (profile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L37	7	"810625".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L38	4152	(chat or IM or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L39	2515	(chat or "Instant Messag \$4" or "instant messeng \$3") same (status or active or online or on \$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L40	0	(chat or "Instant Messag \$4" or "instant messeng \$3") same (status or active or online or on \$line) near3 (user or member or participant or client) with (attribut)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L41	15	(chat or "Instant Messag \$4" or "instant messeng \$3") same (status or active or online or on \$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L42	20	(chat or "Instant Messag \$4" or "instant messeng \$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L43	66	(chat or "Instant Messag \$4" or "instant messeng \$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) same (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L44	1979	(chat or "Instant Messag \$4" or "instant messeng \$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L45	145	(chat or "Instant Messag \$4" or "instant messeng \$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L46	152	(chat or "Instant Messag \$4" or "instant messeng \$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (presence)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L47	2535	709/206.ccls. and (client or user or participant) same (reachab\$5 and status and location nad capabilit\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L48	1421	(client or user or participant) same (reachable or reacability) and status and location and capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L49	55	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L50	16	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit \$3 and buddy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L51	85	(presence) with (primitive) same (online or status or availability or location or privileges)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L52	11	(presence) with (primitive) same (online or status or availability or location or privileges) same (time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L53	12	(presence) with (primitive) same (online or status or availability or location or privileges) and (netowrk or LAN or WAN) and (time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L54	27605	(online or on\$line or availab\$5) near5 (status)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L55	3081	L54 and (instant adj messaging)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L56	256	L55 and (client same (data adj structure))	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L57	1684	(online or on\$line or availab\$5) near5 (status) and 709/203-207.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L58	673237	(information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L59	27293	(access) near3 (information or transaction) near4 (log or data)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L60	1442	(access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L61	82	(access) near3 (information or transaction) near4 (log or data) same (client and server) same (authorized)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L62	167	(access) near3 (information or transaction) near4 (log) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L63	272	(access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L64	25	709/203.ccls. and (access) near3 (information or transaction) near4 (log or status) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L65	0	715/522.ccls. and (access) near3 (information or transaction) near4 (log or data) same (client and server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L66	0	715/522.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32

L67	261	(user or client or customer) with (packet) with (profile) with (server)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L68	117	(user or client or customer) with (packet) with (profile) with (server) with (network or LAN or WAN)	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L69	1	"20020052908"	US-PGPUB; USPAT; EPO	OR	ON	2010/03/15 13:32
L70	13395	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L71	8	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (personal) near3 (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L72	4054	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L73	295	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L74	39	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) with (status) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L75	10	(broker\$3 or establish\$3) with (connection) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L76	111	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availability) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L77	345	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) with (user or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L78	785	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L79	81	(broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) with (availab\$5) with status with (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L80	28	709/204,206.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L81	31	709/204,206,207.ccls. and (broker\$3 or establish\$3) with (parameter or SLA or condition or criteria or policy or policy) and (status) same (location) same (availab\$5) same status same (user or client or server)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L82	114	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L83	114	(user) with (profile or preferenc\$3) with (permission or author\$4) with (updat\$3) with (access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L84	471	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L85	50	(user or participant) with (view\$3 or read\$3) with (profile) with (permission or author\$4) with (allow \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L86	0	(other) adj (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author \$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L87	6	(other) near4 (user or participant) with (view\$3 or read\$3) with (profile) with (permission or author \$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L88	45	(user) adj (profile or attribute or preference) with (view\$3) with (permission)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L89	15	(user) with (authoriz\$5 or grant\$3 or allow) with (participant or member) with (view\$3) near3 (profile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L90	7	"810625".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L91	4152	(chat or IM or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L92	2515	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L93	0	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client) with (attribut)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L94	15	(chat or "Instant Messag\$4" or "instant messeng\$3") same (status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L95	20	(chat or "Instant Messag\$4" or "instant messeng\$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L96	66	(chat or "Instant Messag\$4" or "instant messeng\$3") same (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) same (attributes)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L97	1979	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L98	145	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) near4 (information)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32

L99	152	(chat or "Instant Messag\$4" or "instant messeng\$3") with (availab\$5 or status or active or online or on\$line) near3 (user or member or participant or client) with (presence)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L100	2535	709/206.ccls. and (client or user or participant) same (reachab\$5 and status and location nad capabilit\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L101	1421	(client or user or participant) same (reachable or reacability) and status and location and capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L102	55	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
L103	16	709/206.ccls. and (client or user or participant) same (reachable or reacability) and status and location and capabilit\$3 and buddy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/03/15 13:32
S65	25726	(online or on\$line or availab\$5) near5 (status)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57
S66	2764	S65 and (instant adj messaging)	US-PGPUB; USPAT; EPO	OR	ON	2009/08/20 14:57

3/ 15/ 2010 2:06:46 PM

C:\ Documents and Settings\ abilgrami\ My Documents\ EAST\ Workspaces\ 10099902.wsp